

SDoC Identification Number¹: 181212 Generation 8 A60 Bulb SDOC

Issuer details

Name² (of New Zealand manufacturer or importer):

Philips Lighting New Zealand Ltd

Telephone:

+64 9 355 4742 / 0800 658 224

New Zealand Company No. (if applicable):

1723

Email Address:

nz.lighting@philips.com

Contact Address:

123 Carlton Gore Rd,
Newmarket,
Auckland 1023Low Risk Article – Details³ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable):

Philips Generation 8 LED Bulb

The Low Risk Article listed above, fully complies:

With cited standard(s), as listed⁴:

IEC 62560:2017

Standard number and issue year:

Edition / Amendment status:

Standard title:

1st Ed.

Self-Ballasted LED Lamp for general Lighting service by
voltage > 50V Safety Specifications

Standard number and issue year:

AS/NZS 62560: 2017

Edition / Amendment status:

1st Ed.

Standard title:

Self-Ballasted LED Lamp for general Lighting service by
voltage > 50V Safety Specifications

AS/NZS ZZ modified

Yes ☐No ☒N/A ☐

AS/NZS ZZ modified

Yes ☐No ☒N/A ☐OR Complies with the Conformity Cooperation Agreement⁵Yes ☐No ☐

Names and addresses of any testing organization or body

Name(s):

Global-Mark Electrical
Product Safety Certification
Scheme

Address(es):

Global Mark Pty Ltd, 32 Delhi Road, North Ryde NSW, 2113,
Australia

Name(s):

Address(es):

Reference to relevant test reports/certification and the issue date that show how compliance is achieved

Standard(s) or document(s) used, to show how compliance
with cited standard is achieved:

Global Mark Certificate of Conformity citing standard.

Report Certification or Document
reference N°(s):

GMA-504691-EA

Issue dates(s):

12/12/2018

Reference to any management quality system involved:

Additional information⁶:

Declaration (signed for and on behalf of)


Name and position as authorized by the issuer⁷:

Jarred Gibbs, Lamps & LED Product Marketing

Issuer Identification (as affixed to the article):

PHILIPS

Signature:



Date:

23 / 01 / 2018

Notes for completion

1. Every declaration of conformity should be uniquely identified.
2. The responsible issuer must be unequivocally specified.
3. The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.
4. The cited standard is the applicable specific safety standard exactly as it is cited in [Schedule 4 of the Electricity \(Safety\) Regulations 2010](#) or AS/NZS 3820, at the date that the declaration is signed. Where a valid Approval exists for a product issued by an Australian State Regulator Office (only), a copy of the Approval Certificate may be used as evidence of compliance with the alternative AS/NZS 3820.
5. This is for products imported and offered for sale under the explicit control of the China "Conformity Cooperation Agreement" such product will be marked in accordance with that agreement and NZ suppliers of such product should obtain documentary evidence to support any claim that a product is covered by the agreement. Warning a product offered for sale that is marked in accordance with the CCA, that is not actually covered by the CCA is illegal and subject to a fixed Infringement Fee fine.
6. Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.
7. Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organisation.

Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

Additional information regarding the declaration

"Issuer Identification" as affixed to the article: this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

See [listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles](#), on the Energy Safety website www.energysafety.govt.nz.

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

This completed form remains with the issuer as part of the documentation required as evidence of compliance
DO NOT submit a copy of this form to Energy Safety unless specifically requested to do so.