


Product data sheet

Characteristics

GV3G364

Linergy FT - Comb busbar for parallelling 3 contactors



Main

Range	Linergy
Product name	FT
Device short name	GV3G
Product or component type	Comb busbar
Accessory / separate part category	Connection accessory
Poles description	3P
Range compatibility	TeSys D TeSys K TeSys U TeSys GV3
Product compatibility	LC1D40A...D65A GV3L GV3P
Number of tap-offs	3
[I _{th}] conventional free air thermal current	115 A
Connection pitch	64 mm



Complementary

Mounting location	On terminal
[U _i] rated insulation voltage	690 V
Product weight	0.25 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	265 g
Package 1 Height	2 cm
Package 1 width	5 cm
Package 1 Length	18.5 cm
Unit Type of Package 2	S01
Number of Units in Package 2	17
Package 2 Weight	4.701 kg
Package 2 Height	15 cm
Package 2 width	15 cm
Package 2 Length	40 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
EU RoHS Directive	Compliant  EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes

RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Contractual warranty

Warranty	18 months
----------	-----------

Set of Busbars GV3G364

